

Modeling the Time-Dependent Optical Properties of the Multicomponent Aerosols in the Marine Boundary Layer

PI: Irina N. Sokolik

Program in Atmospheric and Oceanic Sciences (PAOS)

University of Colorado at Boulder

Campus Box 392, Boulder CO 80309

ph. 303-492-5724, fax 303-492-6946

e-mail: sokolik@lasp.colorado.edu

CO-Pi: Dr. Owen B. Toon

Laboratory for Atmospheric and Space Physics (LASP)

Program in Atmospheric and Oceanic Sciences (PAOS)

University of Colorado at Boulder

Campus Box 392, Boulder CO 80309

ph. 303-492-1534, fax 303-492-6946

e-mail: toon@lasp.colorado.edu

Grant number: N00014-98-1-0121

<http://irina.colorado.edu>

LONG-TERM GOALS

Relate the time-dependent, frequency-dependent, radiative properties of multicomponent aerosols to their major physical and chemical transformation processes in the marine boundary layer.

OBJECTIVES

Develop algorithms for the calculation of frequency-dependent optical properties of mineral dust accounting for its mineralogical composition, life-cycle, and interaction with other atmospheric aerosols in the marine boundary layer.

Incorporate the dust optical models into an aerosol chemical-microphysical model. Use the model to simulate the dynamics of the multicomponent marine aerosol size distribution and composition. Develop simplified physically-based treatments of time-dependent aerosol radiative properties.

Apply the developed models to analyze high-spectral resolution remote sensing data.

APPROACH

Our approach combines analysis of empirical data on dust microphysical, optical, and radiative properties along with mathematical modeling based on an operational three-dimensional aerosol chemical-microphysical model.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 1998		2. REPORT TYPE		3. DATES COVERED 00-00-1998 to 00-00-1998	
4. TITLE AND SUBTITLE Modeling the Time-Dependent Optical Properties of the Multicomponent Aerosols in the Marine Boundary Layer				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Colorado, Program in Atmospheric and Oceanic Sciences (PAOS), Boulder, CO, 80309				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM002252.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

WORK COMPLETED

We developed a new technique to model the spectral optical properties of mineral aerosol accounting for its composition. A spectral dust optical model was calculated for a wide range of wavelengths from 0.2 to 30 micrometers.

We are incorporating dust into a 3-D coupled aerosol-chemical model, and are performing test runs of optical properties of multicomponent (dust plus others) aerosols in marine conditions.

We incorporated a simplified dust parameterization into a 3-D global circulation model (GCM) driven by observed winds. We simulated evolution of dust particle size distribution and optical properties during dust transport.

Overall, we successfully completed all tasks planned for FY98.

RESULTS

Our modeling, employing Mie theory and a data set of refractive indices of major minerals, shows that existing variations in mineralogical composition of dust from different locations can cause large changes in the major aerosol spectral optical properties. Therefore, we conclude that incorporation of space- and time-varying mineralogical composition of dust is required for remote sensing retrievals using channels operating at wavelengths from UV to IR. We defined the major components of mineral aerosol which should be taken into consideration to correctly represent the spectral dust optical properties.

IMPACT/APPLICATIONS

Our new technique to model the spectral optical properties of mineral aerosol accounting for its composition can be employed in various remote sensing applications.

TRANSITIONS

Our main results were published in the peer-reviewed journals.

We compiled a data set of refractive indices of mineral aerosols collected at various geographical locations that will be available via WWW.

RELATED PROJECTS

We are currently independently funded under the NASA EOS-IDS program to construct an "event oriented" global model for atmospheric aerosols. The goal is to develop a tool which can directly compare satellite observations of aerosols generated by specific events with output from a numerical model. This linkage should help with the satellite retrieval algorithms, allow observations by multiple satellites or ground campaigns to be intercompared for the same event, and give us greater confidence in our ability to simulate aerosol systems.

PUBLICATIONS

Sokolik I.N., O.B. Toon, and R.W. Bergstrom. Modeling the radiative characteristics of airborne mineral aerosols at infrared wavelengths. *J. Geophys. Res.* 103, 8813-8826, 1998.

Sokolik I.N. and O.B. Toon. Modeling the radiative properties of mineral aerosols for climate studies and remote sensing applications. *J. Aerosol Sci.* 29, Suppl. 1, S1199-S1200, 1998 .

Sokolik I.N. and O.B. Toon. Incorporation of mineralogical composition into models of the radiative properties of mineral aerosol from UV to IR wavelengths. *JGR*, 1998 (in press).

Sokolik I.N., Toon O.B. and R.W. Bergstrom. Direct radiative forcing by airborne mineral aerosols: regional heating or cooling? Proceedings from the 16th Annual Conference of American Association for Aerosol Research, Denver, CO, October 13-17, 1997.

Sokolik I.N. and O.B. Toon. Modeling the radiative properties of airborne mineral aerosols. Proceedings from the IGAC Symposium, Nagoya, Japan, November 11-13, 1997.

Quijano A.L., I. N. Sokolik, and O. B. Toon. Modeling Radiative Heating Rates due to Airborne Mineral Aerosols. *EOS Trans. AGU*, Fall Meet., Suppl., F109, 1997.

Colarco P., I. N. Sokolik, and O. B. Toon. Modeling Saharan dust emissions and optical properties. *EOS Trans. AGU*, Spring Meet., Suppl., 1998.

Quijano A.L., I. N. Sokolik, and O. B. Toon. Modeling the radiative properties of dust in cloudy atmospheric conditions. Proceedings from the IGAC Symposium, Seattle, WA, August 16-25, 1998.

Colarco P., I. N. Sokolik, and O. B. Toon. Modeling Saharan dust emissions and optical properties. Proceedings from the IGAC Symposium, Seattle, WA, August 16-25, 1998.

Bergstrom R., E. Mlawer, I.N. Sokolik, A. Clough, and O.B. Toon. An improved radiative transfer model for climate calculations. *JGR*, 1998 (submitted).